

Technical Specifications

Die Cutting Machine

Formats: 610mm x 610mm & 760mm x 610mm

Applications	<ul style="list-style-type: none"> • Through cutting • Kiss cutting • Perforating • Embossing • Creasing
Materials	<ul style="list-style-type: none"> • Adhesive Papers: Coated, Thermal, Recycled, Laser ... • Adhesive Films: PE, PP, PET, OPP, Tyvek, PVC ... • Foil • Cardboard • Polyester • Cling vinyl
Sheet Formats: LxW (mm)	Min. 203 x 203 / Max. 760 x 610
Cutting Area: LxW (mm)	Max. 740 x 590
Material Thickness (microns)	Min. 75 / Max. 650
Speed (sheets/hour)	Max. 5000
Cylinders	Magnetic Cylinder & Hardened Anvil Cylinder
Feed	Vacuum feed head with adjustable volume suction feet, front and side adjustable air separation blowers, adjustable height control
Feeder Capacity (mm)	610
Double Sheet Detection	YES
Delivery	Receding stacker and roll away trolley
Register	Adjustable head & side lay with micro adjustment, allows as little as 1 micron adjustment to cutting depth
Air Supply	Vacuum and blow built into unit, compressed house air or compressor
Measurements: HxLxW (cm)	122 x 244 x 152
Footprint	3.7 m ²
Weight (kg)	2265

Additional Information:

- Job set up time approx. 5 minutes.
- Safety features and ease of maintenance which meet all industry standards.